

Product	Delivery Form		Composition				Specification				Performance	Suggested Uses
	Solid % ± 1	Solvent Composition	Type of Oil	Oil %	PA %	Type of Polyol	Acid Value	Viscosity Gardner @25 °C	Viscosity C Poise @25 °C	Color Gardner		
LA-EAGLE (SW61-20/55)	70	White Spirit	Sunflower or Soya bean	61	28	Penta	8 Max.	Z8/70% & Y-Z/55%	2000 at 55%	5 Max.	Good gloss & gloss retention, Good adhesion, Brush ability & leveling, good yellowing resistance & hardness.	Interior & exterior house paints, Varnish floor sealers, Porch & deck enamels.
LA-EAGLE (SW60-36/55)	70	White Spirit	Sunflower or Soya bean	60	29	Penta	8 Max.	Z10 at 70% & Z2 at 55%	3600 at 55%	5 Max.	Very high Viscosity, Good Adhesion & hardness, Light color, High gloss & gloss retention.	Interior & exterior house paints, Gloss enamel, High viscosity paints, Varnish & floor sealers.
LA-EAGLE (SW61-9/55)	70	White Spirit	Sunflower or Soya bean	61	28	Penta	12 Max.	Z6 at 70% & V-W at 55%	900 at 55%	5 Max.	Brush ability & leveling, Light color with good yellowing resistance properties, High gloss & gloss retention.	Interior & exterior house paints, Non yellowing medium viscosity paints, Gloss enamel, Varnish & floor sealers (with light color).
LA-EAGLE (LRW60-19/55)	70	White Spirit	Linoleic rich fatty acid	60	29	Mixed Polyol	12 Max.	Z8 at 70% & Y-Z at 55%	1900 at 55%	5 Max.	Good Adhesion & Medium hardness, High gloss & gloss retention.	Interior & exterior house paints, Colored high gloss enamel, High viscosity paints, Varnish & floor sealers.
LA-EAGLE (SW64-65/70)	70	White Spirit	Sunflower or Soya bean	64	25	Mixed Polyol	8 Max.	Z4 at 70%	6500 at 70%	5 Max.	High gloss & gloss retention, Brush ability & leveling, Very good flexibility.	High gloss paints, Exterior house paints.
LA-EAGLE (SW62-15/55)	70	White Spirit	Sunflower or Soya bean	62	28	Mixed Polyol	12 Max.	Z8 at 70% & X-Z at 55%	1500 at 55%	5 Max.	Very good gloss & gloss retention, Good exterior durability, Very good color retention.	High gloss paints, Exterior house paints-clear finishes for wood.
LA-EAGLE (SFW61-97/70)	70	White Spirit	Non yellowing sunflower fatty acids	61	25	Penta	8 Max.	Z5-Z6 at 70%	9700 at 70%	5 Max.	Excellent yellowing resistance in dark, Very good outdoor durability, Light color, High gloss & gloss retention.	Highly recommended for white/light colored high gloss paints because of its interior non yellowing properties in dark, Gloss enamel for outdoor.
LA-EAGLE (TW58-99/70)	70	White Spirit	Low rosin tall oil F.A.	58	23	Penta	10 Max.	Z5 at 70%	9900 at 70%	5 Max.	Brush ability & leveling, Excellent yellowing resistance, Good exterior durability, Good gloss retention.	Decorative enamels for exterior & interior use, Marine paint for super structure.
LA-EAGLE (SFFW63-40/70)	70	White Spirit	Safflower oil	63	26	Penta	12 Max.	Z2-Z3 at 70%	4000 at 70%	5 Max.	Excellent yellowing resistance in the dark, Brush ability & leveling, Light color with good color retention, High gloss & gloss retention.	Interior non yellowing paints, Exterior high gloss paints, Very special for white enamels.
LA-EAGLE (LW66-22/70)	70	White Spirit	Linseed	66	22	Gly./ Penta	10 Max.	Approx.Z at 70%	2200 at 70%	8 Max.	Very high gloss, Fast drying time, Good exterior durability, Very good adhesion.	Colored enamels, Anti corrosion primers for metals.
LA-EAGLE (SW55-30/55)	70	White Spirit	Sunflower or Soya bean	55	29	Penta	10 Max.	Z1-Z2 at 55%	3000 at 55%	5 Max.	Chain stopped, Fast drying, Good gloss & gloss retention, Very good yellowing resistance & hardness.	Interior & exterior house paints, Varnish floor sealers.
LA-EAGLE (SW65-4/60)	70	White Spirit	Sunflower or Soya bean	65	24	Penta	10 Max.	O-P at 60% & Y-Z at 70%	400 at 60%	5 Max.	Very low Viscosity, Good Adhesion & hardness, Light color, High gloss & gloss retention, Brush ability & leveling.	Interior & exterior house paints, Gloss enamel, Very low viscosity paints, High build varnish & floor sealers.
LA-EAGLE (SWZ68-50/75)	85	Zero aromatic W. Spirit (D40)	Sunflower or Soya bean	68	23	Penta	10 Max.	Z3-Z4 at 75%	5000 at 75%	5 Max.	High solid alkyd resin, High gloss & gloss retention, Medium Viscosity, High solid alkyd resin, very good pigment wetting properties.	Very high gloss enamels, Interior & exterior decorative paints, Special for low VOC paints.
LA-EAGLE (SWZ64-5/70)	80	Zero aromatic W. Spirit (D40)	Sunflower or Soya bean	64	24	Penta	10 Max.	O-T at 70%	500 at 70%	5 Max.	High solid alkyd resin, High gloss & gloss retention, Very Low Viscosity, Very good pigment wetting properties.	Very high gloss enamels, Interior & exterior decorative paints, Special for low VOC paints.
LA-EAGLE (S68-15/100)	98	--	Sunflower or Soya bean	68	20	Penta	12 Max.	W-Y at 100%	1500 at 100%	6 Max.	Ultra high solid content, Very low viscosity, High gloss, Very good leveling & Very good Brushability.	Interior & exteriordecorative paint, Varnish, Very low viscosity paint & High gloss finishes.
LA-EAGLE (L70-170/100)	100	--	Linseed	70	--	Penta	15 Max.	Z6-Z7 at 100%	17000 at 100%	10 Max.	Excellent Gloss, Excellent Drying, Excellent Flow and Leveling properties, Very good flexibility & good gloss retention.	High quality Isophthalic based long oil alkyd resin for printing inks and silk screen inks.

Note : All the Products can be delivered with zero Aromatic content white spirit (D40)